

ROOFING | WALL CLADDING | LOUVRES | CEILING | TRUSSES | SCREENS & FACADES

PRODUCT CATALOGUE











MATERIALS





THE 1ST COLOUR COATING LINE IN ASIA PACIFIC FEATURING INFRA-RED CURING TECHNOLOGY

INFRARED

- · Zero Pinholes
- Smooth Finish
- Consistent Paint Thickness

Colourcoil Industries is a well established Malaysian owned company specializing in the manufacturing of prepainted steel coils (i.e. color coated steel coils). We are the first in Asia Pacific to feature the latest State-of-the-Art infra-red coil coating technology producing high quality prepainted metal products, catering to the wide applications in the building and construction industry.





LARGEST MANUFACTURER OF ROLLED ALUMINIUM PRODUCTS IN MALAYSIA AND A LEADING SUPPLIER IN THE ASIA PACIFIC REGION WITH A STRONG GLOBAL PRESENCE

Aluminium Company of Malaysia Berhad (ALCOM) is the largest manufacturer of rolled aluminium products in Malaysia and a leading supplier of aluminium rolled products in the Asia Pacific region.

Excelling in fin stock used in heating and cooling systems, ALCOM is a pioneer in the field, with its unparalleled manufacturing capacity, forward-thinking technological prowess and cutting-edge research and development operations.

- Lightweight
- Ductility
- Recyclability
- Corrosion Resistance
- Reflectivity
- Guarantee



CONTENTS




About Us

► Company Background0	12
► Vision and Mission0	13
Our Philosophy0	14
► Products and Services0	16
Roofing	
► Metal Roof I-Seam TM 0	8
➤ Metal Roof I-Clip TM 1	2
► Metal Roof I-Deck™1	6
► Metal Roof I-Span TM 1	8
► Euroshingle [™] 1	9
Wall Cladding	
▶ Walldeck™WD2152	1

► Europanel TM (EP100/200 & EP195)22
Paint Systems
► Specifications24
Screens & Facades
► Screens & Facades26
▶ Cityvent [™] 27
▶ Louvres28
Ceiling
► Eurowave TM 29
Trusses
► I-Truss TM & I-Truss TM Lite30



COMPANY BACKGROUND | ABOUT US




BEACON OF A NEW DAWN

In 2013, we embarked on our innovative journey to bring forth a renewed approach towards metal roofing for buildings across Sarawak.

We understand what strong roofs and facades are meant to do – to help you weather any storm. While functionality takes precedence, a stylish touch resonates with the inner artist.

With COLOURCOIL® prepainted coil as our signature, we focus on roll forming of metal roofing, ceiling, wall cladding and louvres along with the design and installation of both lightweight trusses and mild steel fabrication. Since then, we have added façade to our main business.

We continue to grow for you, and with you.





ABOUT US | OUR PHILOSOPHY



ROOFS AND FACADES ARE NOT MERE ORNAMENTS, THEY ARE THE CONDUIT OF EXPRESSION Just like you, we marvel at the juxtaposition of imagination and reality.

As a brand, we pay homage to the inevitability of nature and design collision.

Together, we can sail past the walls of conventionality and experience the outburst of freedom. Freedom of expression.





ABOUT US | PRODUCTS AND SERVICES











RANGE OF SERVICES

- Design and installation of light weight trusses
- Design and installation of mild steel structures
- Design and installation of architectural screens




AMPELITE TRANSLUCENT ROOF



PRE ENGINEERED BUILDING (PEB)




DECRA ROOF





ROOFING | I-SEAMTM




PROFILE	THICKNESS	PAINT SYSTEM	COATING SYSTEM
IMETAL I-SEAM TM	0.63MM TCT 0.55MM TCT	DUOTONE PVF2 SERIES TM METALLIC PVF2 SERIES TM PVF2 SERIES TM KRISTALMATT SERIES TM	AZ 200 AZ 150
	0.8MM TCT	ALUMAX PVF2 SERIES	AL3105 H24

Fasteners

All fastening screws must conform to AS3566 - Class 3. They are to be hexagon headed and for roofing must be used with sealing washers. For connecting to purlins or top hats use:

Clips for I-SEAM™



PRODUCT BENEFITS


- Trendy, wide and flat profile providing premium roof expressions
- Ability to concave and convex curve with tapering to provide freedom for roof forms and shapes
- Infrared cured paint system for better paint performance and smoother surface finish





тор то воттом: Pasar Tamu, Lawas | Pusat Interpretasi Heart of Borneo, Lawas












CLOCKWISE:
Pedestrian Bridge, Samarahan | UNIMAS Walkway,
Samarahan | La Promenade Clubhouse, Kota Samarahan
| UNIMAS Walkway, Samarahan





ROOFING | I-CLIPTM



PROFILE	THICKNESS	PAINT SYSTEM	COATING SYSTEM
IMETAL I-CLIP TM	0.55MM TCT 0.50MM TCT	PVF2 SERIES [™] KRISTALMATT SERIES [™] ELITE SERIES [™] PUREMATT SERIES [™]	AZ 200 AZ 150

Fasteners

All fastening screws must conform to AS3566 - Class 3 or Class 4.



PRODUCT BENEFITS

- Superior water tightness from concealed fixed method (no screws piercing)
- Aluminium/Zinc alloy coating provides excellent corrosion resistance
- Infrared cured paint system for better paint performance and smoother surface finish








тор то воттом: Country Heights Residences, Kuching | Balai Bomba, Daro | IMM Technology Factory Phase 1, Kuching





CLOCKWISE: The Republic Condominiums, Kuching | La Promenade (Phase 2), Kota Samarahan | Samajaya Apartments, Kuching







ROOFING | I-DECK™

Economical pierced fixing roof that is suitable for various applications.

IMETAL I-DECK™ IN 0.50MM TCT (0.429MT) IN COLOURCOIL PVF2 SERIES TO (AZ150)

ROCKWOOL AS TO SPEC.

ALUMINIUM FOIL CEILING TO SPEC.

PROFILE	THICKNESS	PAINT SYSTEM	COATING SYSTEM
IMETAL I-DECK ™	0.55MM TCT 0.50MM TCT	PVF2 SERIES [™] KRISTALMATT SERIES [™] ELITE SERIES [™] PUREMATT SERIES [™]	AZ 200 AZ 150
	0.41MM TCT	PREMIUM SERIES TM	AZ 100
	0.8MM TCT	ALUMINIUM	AL 3105 H18
	0.5MM TCT	STAINLESS STEEL	SUS 304

Fasteners

All fastening screws must conform to AS3566 - Class 3 or Class 4.

PRODUCT BENEFITS

760mm

- Straight and solid profile using pierced fixing screws
- Aluminium/Zinc alloy coating provides excellent corrosion resistance
- Infrared cured paint system for better paint performance and smoother surface finish










CLOCKWISE:
Pasar Tamu, Lawas | Medan Niaga, Satok | IMM
Technology Factory Phase 1, Kuching |
Homelands Garden, Kuching




ROOFING | I-SPANTM









Fasteners

All fastening screws must conform to AS3566 - Class 3 or Class 4.

PROFILE	THICKNESS	PAINT SYSTEM	COATING SYSTEM
IMETAL I-SPAN TM	0.55MM TCT 0.50MM TCT	PVF2 SERIES TM KRISTALMATT SERIES TM ELITE SERIES TM PUREMATT SERIES TM	AZ 200 AZ 150
	0.41MM TCT	PREMIUM SERIES TM	AZ 100



ROOFING | EUROSHINGLE™







CLOCKWISE:


Tatau Mosque, Tatau | Masjid Darul Hana, Kuching | Masjid Darul Aqsa, Kuching

Versatile flat, rectangular or square profile to suit contemporary shingle appearance.




TOP: Surau Jalan Bako, Kuching

PROFILE



TYPICAL SECTION

- A = SUPPORTING STRUCTURE
- B = ZED FRAME
- C = INSULATION
- D = EUROSHINGLETM
- E = WATER PROOFING UNDERLAY
- F = WATER PROOFING PLYWOOD



PROFILE THICKNESS PAINT SYSTEM COATING SYSTEM O.55MM TCT 0.48MM TCT U.48MM TCT DUOTONE PVF2 SERIES ™ METALLIC PVF2 SERIES ™ PVF2 SERIES ™ KRISTALMATT SERIES ™ ELITE SERIES ™ ELITE SERIES ™

Fasteners

All fastening screws must conform to AS3566 - Class 3 or Class 4.

Clip for EUROSHINGLE™



PRODUCT BENEFITS

- Trendy shingle profile in diamond shape or brick shape
- Ability to cover domes with carying shapes and sizes
- Aluminium/ Zinc alloy coating provides excellent corrosion resistance
- Infrared cured paint system for better paint performance and smoother surface finish



WALL CLADDING | WALLDECK™ WD215





LEFT TO RIGHT: Saradise BDC, Kuching | Imetal Office, Kuching

Most effective and cost effective choice for wall cladding.

Screws WALLDECK® WD215

PROFILE

0 0 0

HORIZONTAL WALL

TYPICAL SECTION

- A = SUPPORTING STRUCTURE
- 8 = ZED FRAME
- C = INSULATION D = WALLDECK® WD215

SECTION

PROFILE

IMETAL WALLDECK™

THICKNESS

0.48MM TCT

PAINT SYSTEM

PVF2 SERIES [™]
KRISTALMATT SERIES [™]
ELITE SERIES [™]
PUREMATT SERIES [™]

COATING SYSTEM

AZ 150



CLADDING | EUROPANEL™ EP100/200 & EP195





LEFT TO RIGHT: Balai Bomba, Daro | Balai Bomba, Daro

EUROPANEL™ EP100/200 Carrier based ceiling used as soffit, for both internal and external applications





LEFT TO RIGHT: Rivervale Residences, Kuching | The Republic Condominiums, Kuching

EUROPANEL™ EP195 Concealed ceiling or wall panel used as soffit, fascia or interior wall application.









LEFT TO RIGHT: Thai Temple, Kuching | Landeh Heights, Kuching | Mukah Airport, Mukah

EUROPANEL™ EP195
Economical flat ceiling panel ideal for exterior ceiling.



EP200

EP100





TYPICAL SECTION


PROFILE	THICKNESS	PAINT SYSTEM	COATING SYSTEM
IMETAL EUROPANEL™ EP100/200	0.55MM TCT 0.48MM TCT	PVF2 SERIES TM KRISTALMATT SERIES TM ELITE SERIES TM PUREMATT SERIES TM	AZ 150
	0.50MM TCT	WOODGRAIN	ALUMINIUM
IMETAL EUROPANEL™ EP195	0.68MM TCT 0.55MM TCT 0.48MM TCT	METALLIC PVF2 SERIES [™] PVF2 SERIES [™] KRISTALMATT SERIES [™] ELITE SERIES [™]	AZ 150
	0.50MM TCT	WOODGRAIN	ALUMINIUM





PAINT SYSTEMS | SPECIFICATIONS



















SCREENS & FACADES







CLOCKWISE:

Masjid Darul Hana, Kuching | Pedestrian Bridge, Kota Samarahan | Aeon Mall Kuching Central, Kuching

Non structural façade disguising the realities of forms, size and structure of a building behind.

- ▶ Plasma / Laser Cut
- Waterjet Cut
- ▶ Powder Coating



SCREENS & FACADES | CITYVENTTM






LEFT TO RIGHT: Driving School, Matang | Driving School, Matang


CITYVENT TM is a fixed louvre system with strong and durable C-shaped panels.

TYPICAL SECTION

A = SUPPORTING STRUCTURE B = GJ CARRIER

D = CITYVENTIM





PROFILE	THICKNESS	PAINT SYSTEM	COATING SYSTEM
IMETAL CITYVENT TM	0.55MM TCT 0.48MM TCT	KRISTALMATT SERIES TM ELITE SERIES TM PREMIUM SERIES TM	AZ 150



SCREENS & FACADES | LOUVRES





тор то воттом: Proton 4S Centre, Sabah | Aeon Mall Kuching Central, Kuching

Powder coated aluminium panels or prepainted steel sheets to be fabricated to become louvres and act as façade/




CEILING | EUROWAVE™




LEFT TO RIGHT: Saradise BDC, Kuching | KK Light Industrial Park, Kota Kinabalu

Sinusoidal wave suitable for contemporary ceiling or interior design.



REGULAR PROFILE



D = EUROWAYE® HORIZONTAL WALL

VERTICAL WALL

TYPICAL SECTION A = SUPPORTING STRUCTURE B = ZED FRAME C = INSULATION

SECTION

COATING SYSTEM PAINT SYSTEM **PROFILE** THICKNESS METALLIC PVF2 SERIES ™ AZ 150 IMETAL 0.48MM TCT EUROWAVE™ PVF2 SERIES TM KRISTALMATT SERIES TM ELITE SERIES ™ PREMIUM SERIES TM



$TRUSSES \mid I\text{-}TRUSS^{TM} \;\&\; I\text{-}TRUSS^{TM} \;LITE$



Pusat Pembangunan Kemahiran Sarawak (PPKS), Mukah

IMETAL I-TRUSS™ uses mild steel sections to cater for larger spans with architecturally pleasing features.

IMETAL I-TRUSS™ LITE is suitable for smaller buildings such as residential or commercial buildings with supporting spans up to 15m.

DESIGN STANDARD	AUSTRALIAN STANDARD AS4600 OR BRITISH STANDARD BS5950		
	METAL ROOFING	RECOMMENDED LOADING	
	LIVE LOAD ON ROOF DEAD LOAD ON ROOF CEILING LOAD WIND SPEED POINT LOAD	0.25 KPA 0.22 KPA 0.13 KPA 41 M/S 0.9 KN	
	CONCRETE TILES LIVE LOAD ON ROOF DEAD LOAD ON ROOF CEILING LOAD WIND SPEED POINT LOAD	RECOMMENDED LOADING 0.75 KPA 0.75 KPA 0.13 KPA 41 M/S 0.9 KN	
	TRUSS DEFLECTION	SPAN / 250	
	BATTEN DEFLECTION	SPAN / 250	
MATERIALS	BATTENS TRUSS	G550, 0.50 MM - 0.75MM MIN G550 FOR STEEL < 1MM MIN G450 FOR STEEL > 1MM	
COATING MASS	BATTENS TRUSS	AZ150 AZ150 FOR STEEL < 1MM Z275 FOR STEEL > 1MM	
FASTENERS	COMPLIES TO AS3566 CLASS 2		









SEDC Carpark, Kuching | The Republic Condominiums, Kuching | Rivervale Condominium, Kuching | Tatau Mosque, Tatau








CLOCKWISE:

Pusat Pembangunan Kemahiran Sarawak (PPKS), Mukah | Masjid Darul Hana, Kuching | Kampus Institut Kemajuan Desa (INFRA), Samarahan





KUCHING OFFICE

LOT 1221, BLOCK 8, MLTD, PHASE 2A, DEMAK LAUT INDUSTRIAL PARK, JALAN BAKO, 93050, KUCHING. TEL: 082 496 336 | 082 496 339 | 010 982 0235

BINTULU OFFICE

1ST FLOOR, NO 572, LOT 4385, PARKCITY COMMERCE SQUARE, PHASE 7, 97000, BINTULU. TEL: 012 852 8712